

11011 U.S. PTO  
09/818851



52	89
Class	Subclass
ISSUE CLASSIFICATION	

PATENT NUMBER

U.S. UTILITY Patent Application

O.I.P.E. SCANNED <i>ADG</i> Q.A. <i>AD4</i>	PATENT DATE
--	-------------

105/1020

APPLICATION NO. 09/818851	CONT/PRIOR F	CLASS 405 52	SUBCLASS 1671	ART UNIT 3670 46135	EXAMINER Glessner
------------------------------	-----------------	--------------------	------------------	---------------------------	----------------------

APPLICANTS  
TITLE

Shinichi Nishiwata  
Eisai Nigame

Manufacture and use of earthquake resistant construction blocks

APPLICANT'S

PTO-2040  
12/89

ISSUING CLASSIFICATION

ORIGINAL		CROSS REFERENCE(S)					
CLASS	SUBCLASS	CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)				
52	89	52	600	604	568		
INTERNATIONAL CLASSIFICATION		264	275				
E 04 B	1/32						

☐ Continued on Issue Slip inside File Jacket

<input type="checkbox"/> <b>TERMINAL DISCLAIMER</b>  <input type="checkbox"/> The term of this patent subsequent to _____ (date) has been disclaimed.  <input type="checkbox"/> The term of this patent shall not extend beyond the expiration date of U.S. Patent. No. _____  <input type="checkbox"/> The terminal _____ months of this patent have been disclaimed.	<b>DRAWINGS</b> Sheets Drwg. <u>6</u> Figs. Drwg. <u>10</u> Print Fig. <u>1</u>			<b>CLAIMS ALLOWED</b> Total Claims <u>19</u> Print Claim for O.G. <u>1</u>	
	(Assistant Examiner) <u>4/3/03</u> (Date)			<b>NOTICE OF ALLOWANCE MAILED</b>	
	Carl D. Friedman Supervisory Patent Examiner Group 3600 (Primary Examiner) <u>5/22/03</u> (Date)			<b>ISSUE FEE</b> Amount Due _____ Date Paid _____	
	(Legal Instruments Examiner) _____ (Date)			<b>ISSUE BATCH NUMBER</b>	

WARNING:

The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.

Form PTO-436A  
(Rev. 8/99)

FILED WITH: ☐ DISK (CRF) ☐ FICHE ☐ CD-ROM  
(Attached in pocket on right inside flap)

BEST AVAILABLE COPY